AUG 1 5 2007

Subsective Form PTO-1449

(37 CFR §1.98(b))

U.S. Department of Commerce Patent and Trademark Office Attorney's Docket No. Application No. 10861-033US1 10/575,932

Information Disclosure Statement by Applicant

(Use several sheets if necessary)

Anjana Rao et al.

Filing Date April 14, 2006

Applicant

Group Art Unit 1656

			U.S. Pate	ent Documents			
Examiner Initial	Desig. ID	Document Number	Publication Date	Patentee	Class	Subclass	Filing Date If Appropriate
	A1	6,087,122	July 11, 2000	Hustad et al.	500000000000000000000000000000000000000	00000000000000000	
	A2						

	Foreig	n Patent Doo	uments or P	ublished Foreign	Patent A	Application	ns	
Examiner	Desig.	Document	Publication	Country or			Trans	slation
Initial	ID d	Number	Date	Patent Office	Class	Subclass	Yes	No
	Bi							

	Other D	ocuments (include Author, Title, Date, and Place of Publication)
Examiner Initial	Desig. ID	Document
	C1	Anandasabapathy et al., "GRAIL: an E3 ubiquitin ligase that inhibits cytokine gene transcription is expressed in anergic CD4+ T cells," Immunity. 18(4):535-547 (2003)
	C2	Aramburu et al., "Affinity-driven peptide selection of an NFAT inhibitor more selective than cyclosporin A," Science, 285(5436):2129-2133 (1999)
	C3	Aramburu et al., "Selective inhibition of NFAT activation by a peptide spanning the calcineurin targeting site of NFAT," Mol. Cell., 1(5):627-637 (1998)
	C4	Arendt et al., "Protein kinase C-theta;: signaling from the center of the T-cell synapse," Curr. Opin. Immunol., 14(3):323-30 (2002)
	C5	Babst et al., "Mammalian tumor susceptibility gene 101 (TSG101) and the yeast homologue, Vps23p, both function in late endosomal trafficking," Traffic 1(3):248-58 (2000)
	C6	Bachmaier et al., "Negative regulation of lymphocyte activation and autoimmunity by the molecular adaptor Cbl-b," Nature, 403(6766):211-216 (2000)
	C7	Ben-Neriah, "Regulatory functions of ubiquitination in the immune system," Nat. Immunol., 3(1):20-26 (2002)
	C8	Berleth et al., "Inhibition of Ubiquitin-Protein Ligase (E3) by Mono-and Bifunctional Phenylarsenoxides", The J. of Biol. Chemistry 287(23):16403-16411 (1992)
	С9	Bica et al., "Hepatic schistosomiasis," Infect. Dis. Clin. North Am., 14(3):583-604 (2000)
	C10	Bogen et al., "In situ analysis of cytokine responses in experimental murine schistosomiasis," Lab Invest. 73(2):252-258 (1995)

Examiner Signature	Date Considered
EXAMINER: Initials citation considered. Draw line through citation if no	ot in conformance and not considered. Include copy of this form with
next communication to applicant.	

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 10861-033US1	Application No. 10/575,932
	Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR \$1.98(b))		
			Group Art Unit 1656

	Other D	ocuments (include Author, Title, Date, and Place of Publication)
Examiner Initial	Desig. ID	Document
	C11	Boisclair et al., "Development of a ubiquitin transfer assay for high throughput screening by fluorescence resonance energy transfer," J. Biomol. Screen., 5(5):319-328 (2000)
	C12	Boussiotis et al., "Maintenance of human T cell anergy: blocking of IL-2 gene transcription by activated Rap1," Science, 278(5335):124-128 (1997)
	C13	Chen et al., "Structure of the DNA-binding domains from NFAT, Fos and Jun bound specifically to DNA," Nature, 392(6671):42-48 (1998)
	C14	Chen et al., "Only one of the two DNA-bound orientations of AP-1 found in solution cooperates with NFATp," Curr. Biol. 5(8):882-889 (1995)
	C15	Chiang et al., "Cbl-b regulates the CD28 dependence of T-cell activation," Nature, 403(6766):216-220 (2000)
	C16	Crabtree, "Generic signals and specific outcomes: signaling through Ca2+, calcineurin, and NF-AT," Cell. 96(5):611-4 (1999)
	C17	Degterev et al., "Identification of small-molecule inhibitors of interaction between the BH3 domain and Bcl-xL," Nat. Cell Biol., 3(2):173-182 (2001)
	C18	Delon et al., "Imaging of T-cell interactions with antigen presenting cells in culture and in intact lymphoid tissue," Immunol. Rev. 189:51-63 (2002)
	C19	de Melker et al., "c-Cbl ubiquitinates the EGF receptor at the plasma membrane and remains receptor associated throughout the endocytic route," J. Cell Sci. 114(11):2167-78 (2001)
	C20	Ding et al., "IL-10 inhibits macrophage costimulatory activity by selectively inhibiting the up-regulation of B7 expression," J. Immunol. 151(3):1224-1234 (1993)
	C21	Dolmetsch et al., "Differential activation of transcription factors induced by Ca2+ response amplitude and duration," Nature. 386(6627):855-8 (1997). Erratum in: Nature 1997 Jul 17;388(6639):308.
	C22	Dustin et al., "A novel adaptor protein orchestrates receptor patterning and cytoskeletal polarity in T-cell contacts," Cell 94(5):667-77, (1998)
	C23	Fang et al., "Dysregulation of T lymphocyte function in itchy mice: a role for Itch in TH2 differentiation," Nat. Immunol. 3(3):281-287 (2002). Epub 2002 Feb 4.
	C24	Feske et al., "Gene regulation mediated by calcium signals in T lymphocytes," Nat. Immunol., 2(4):316-324 (2001)
	C25	Fields et al., "Blocked Ras activation in anergic CD4+ T cells," Science, 271(5253):1276-1278 (1996)
	C26	Fontenot et al., "Foxp3 programs the development and function of CD4+CD25+ regulatory T cells," Nat. Immunol., 4(4):330-336 (2003). Epub 2003 Mar 3.

Examiner Signature	Date Considered
EXAMINER: Initials citation considered. Draw line through citation if no next communication to applicant.	t in conformance and not considered. Include copy of this form with

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 10861-033US1	Application No. 10/575,932
Information Disclosure Statement by Applicant		Applicant Anjana Rao et al.	
(Use several si	(Use several sheets if necessary)		Group Art Unit 1656

	Other Documents (include Author, Title, Date, and Place of Publication)			
Examiner Initial	Desig. ID	Document		
, , , , , , , , , , , , , , , , , , ,	C27	Friedman and Weiner, "Induction of anergy or active suppression following oral tolerance is determined by antigen dosage," Proc. Natl. Acad. Sci. U S A., 91(14):6688-6692 (1994)		
	C28	Gajewski et al., "Anergic T-lymphocyte clones have altered inositol phosphate, calcium, and tyrosine kinase signaling pathways," Proc. Natl. Acad. Sci. USA 91(1):38-42, (1994)		
	C29	Garrus et al., "Tsg101 and the vacuolar protein sorting pathway are essential for HIV-1 budding," Cell, 107(1):55-65 (2001)		
	C30	Garside and Mowat, "Oral tolerance," Semin. Immunol. 13(3):177-185 (2001)		
	C31	Gause et al., "The immune response to parasitic helminths: insights from murine models," Trends Immunol., 24(5):269-277 (2003)		
	C32	Grakoui et al., "The immunological synapse: a molecular machine controlling T cell activation," Science, 285:221-227 (1999)		
-	C33	Harris et al., "Ubiquitin-mediated degradation of active Src tyrosine kinase," Proc. Natl. Acad. Sci. USA 96(24):13738-43, (1999)		
	C34	Healy et al., "Different nuclear signals are activated by the B cell receptor during positive versus negative signaling," Immunity. 6(4):419-428 (1997)		
	C35	Heissmeyer et al., "Calcineurin imposes T cell unresponsiveness through targeted proteolysis of signaling proteins," Nat. Immunol., 5(3):255-65 (2004). Epub 2004 Feb 15.		
	C36	Heissmeyer et al., "Shared pathways of IkappaB kinase-induced SCF(betaTrCP)-mediated ubiquitination and degradation for the NF-kappaB precursor p105 and IkappaBalpha," Mol. Cell Biol., 21(4):1024-1035 (2001)		
	C37	Hernandez et al., "Experimental murine schistosomiasis in the absence of B7 costimulatory molecules: reversal of elicited T cell cytokine profile and partial inhibition of egg granuloma formation," J. Immunol., 162(5):2884-9 (1999)		
	C38	Hershko and Ciechanover, "The ubiquitin system," Annu Rev. Biochem., 67:425-479 (1998)		
	C39	Hicke, "A new ticket for entry into budding vesicles-ubiquitin," Cell, 106(5):527-530 (2001)		
	C40	Hogan et al., "Transcriptional regulation by calcium, calcineurin, and NFAT," Genes Dev. 17(18):2205-32 (2003).		
	C41	Huibregtse et al., "A family of proteins structurally and functionally related to the E6-AP ubiquitin-protein ligase," Proc. Natl. Acad. Sci. U S A. 92(7):2563-2567 (1995). Erratum in: Proc Natl Acad Sci U S A. 1995 May 23;92(11):5249.		

Examiner Signature	Date Considered
EXAMINER: Initials citation considered. Draw line through citation if no	ot in conformance and not considered. Include copy of this form with
next communication to applicant.	

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 10861-033US1	Application No. 10/575,932
	closure Statement pplicant	Applicant Anjana Rao et al.	
by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Filing Date April 14, 2006	Group Art Unit 1656

	Other D	ocuments (include Author, Title, Date, and Place of Publication)
Examiner Initial	Desig. ID	Document
	C42	Huibregtse et al., "Cloning and expression of the cDNA for E6-AP, a protein that mediates the interaction of the human papillomavirus E6 oncoprotein with p53," Mol. Cell Biol., 13(2):775-784 (1993)
	C43	Hu-Li et al., "Regulation of expression of IL-4 alleles: analysis using a chimeric GFP/IL-4 gene," Immunity, 14(1):1-11 (2001)
	C44	Huppa et al., "Continuous T cell receptor signaling required for synapse maintenance and full effector potential," Nat. Immunol. 4(8):749-55, (2003)
	C45	Irvin et al., "Pleiotropic contributions of phospholipase C-gamma1 (PLC-gamma1) to T-cell antigen receptor-mediated signaling: reconstitution studies of a PLC-gamma1-deficient Jurkat T-cell line," Mol. Cell. Biol. 20(24):9149-61, (2000)
	C46	Jain et al., "Analysis of the AP-1 sites in the IL-2 promoter," J. Immunol., 148(4):1240-1250 (1992).
	C47	Jain et al., "The T-cell transcription factor NFATp is a substrate for calcineurin and interacts with Fos and Jun," Nature, 365(6444):352-355 (1993)
	C48	Jain et al., "A similar DNA-binding motif in NFAT family proteins and the Rel homology region," J. Biol. Chem., 270(8):4138-4145 (1995)
	C49	Jenkins, "The ups and downs of T cell costimulation," Immunity, 1(6):443-446 (1994)
	C50	Kamradt and Mitchison, "Tolerance and autoimmunity," New Engl. J. Med. 344(9):655-64 (2001)
	C51	Katzmann et al., "Ubiquitin-dependent sorting into the multivesicular body pathway requires the function of a conserved endosomal protein sorting complex, ESCRT-I," Cell, 106(2):145-155 (2001)
	C52	Khoshnan et al., "The physical association of protein kinase C theta with a lipid raft-associated inhibitor of kappa B factor kinase (IKK) complex plays a role in the activation of the NF-kappa B cascade by TCR and CD28," J. Immunol. 165(12):6933-40 (2000)
	C53	King et al., "Cytokine control of parasite-specific anergy in human urinary schistosomiasis. IL-10 modulates lymphocyte reactivity," J. Immunol. 156(12):4715-4721 (1996)
	C54	Kohler and Schepartz, "Kinetic studies of Fos.Jun.DNA complex formation: DNA binding prior to dimerization," Biochemistry, 40(1):130-142 (2001)
	C55	Lenschow et al., "CD28/B7 system of T cell costimulation," Annu Rev Immunol., 14:233-258 (1996)
	C56	Li et al., "Blocked signal transduction to the ERK and JNK protein kinases in anergic CD4+ T cells," Science, 271(5253):1272-1276 (1996)

ate Considered
and and and analysis and and analysis form with
conformance and not considered. Include copy of this form with

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 10861-033US1	Application No. 10/575,932
Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Anjana Rao et al.	
		Filing Date April 14, 2006	Group Art Unit 1656

	Other D	ocuments (include Author, Title, Date, and Place of Publication)
Examiner Initial	Desig.	Document
	C57	Li et al., "Combined costimulation blockade plus rapamycin but not cyclosporine produces permanent engraftment," Transplantation, 66(10):1387-1388 (1998)
	C58	Lo et al., "Ubiquitin-dependent degradation of TGF-beta-activated smad2," Nat. Cell Biol. 1(8):472-8 (1999)
	C59	MacDonald et al., "Impaired Th2 development and increased mortality during Schistosoma mansoni infection in the absence of CD40/CD154 interaction," J Immunol., 168(9):4643-9 (2002)
	C60	Macian et al., "Partners in transcription: NFAT and AP-1," Oncogene, 20(19):2476-2489 (2001)
	C61	Macian et al., "Transcriptional mechanisms underlying lymphocyte tolerance," Cell. 109(6):719-731 (2002)
	C62	Mahanty et al., "High levels of spontaneous and parasite antigen-driven interleukin- 10 production are associated with antigen-specific hyporesponsiveness in human lymphatic filariasis," J. Infect. Dis. 173(3):769-773 (1996)
	C63	Maloy and Powrie, "Regulatory T cells in the control of immune pathology," Nat. Immunol., 2(9):816-822 (2001)
	C64	Mohrs et al., "Analysis of type 2 immunity in vivo with a bicistronic IL-4 reporter," Immunity, 15(2):303-311 (2001)
	C65	Monks et al., "Three-dimensional segregation of supramolecular activation clusters in T cells," Nature," 395(6697):82-86 (1998)
,	C66	Nalefski and Falke, "The C2 domain calcium-binding motif: structural and functional diversity," Protein Sci., 5(12):2375-2390 (1996)
	C67	Naramura et al., "c-Cbl and Cbl-b regulate T cell responsiveness by promoting ligand-induced TCR down-modulation," Nat. Immunol. 3(12):1192-1199 (2002). Epub 2002 Nov 4
	C68	Okamura et al., "Concerted dephosphorylation of the transcription factor NFAT1 induces a conformational switch that regulates transcriptional activity," Mol. Cell., 6(3):539-50 (2000)
	C69	Van Parijs and Abbas, "Homeostasis and self-tolerance in the immune system: turning lymphocytes off," Science, 280(5361):243-248 (1998)
	C70	Pearce and MacDonald, "The immunobiology of schistosomiasis," Nat. Rev. Immunol., 2(7):499-511 (2002)
	C71	Pearce et al., "Downregulation of Th1 cytokine production accompanies induction of Th2 responses by a parasitic helminth, Schistosoma mansoni," J. Exp. Med. 173(1):159-66 (1991)

Examiner Signature	Date Considered
EXAMINER: Initials citation considered. Draw line through citation if no next communication to applicant.	ot in conformance and not considered. Include copy of this form with

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 10861-033US1	Application No. 10/575,932
Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Anjana Rao et al.	
		Filing Date April 14, 2006	Group Art Unit 1656

Designation Designation Document		Other Documents (include Author, Title, Date, and Place of Publication)			
Perry et al., "The itchy locus encodes a novel ubiquitin protein ligase that is disrupted in al8H mice," Nat. Genet. 18(2):143-146 (1998) Pickart, "Mechanisms underlying ubiquitination," Annual Rev. Biochem., 70:503-533 (2001) C74 Rabinowitz et al., "Altered T cell receptor ligands trigger a subset of early T cell signals," Immunity. 5(2):125-135 (1996) Rao et al., "Transcription factors of the NFAT family: regulation and function," Annual Rev. Immunol, 15:707-747 (1997). Rao et al., "The Cbl family of ubiquitin ligases: critical negative regulators of tyrosine kinase signaling in the immune system," J. Leukoc. Biol. 71(5):753-63. (2002) Rathore et al., "In situ analysis of B7-2 costimulatory, major histocompatibility complex class II, and adhesion molecule expression in schistosomal egg granulomas," Am. J. Pathol. 149(1):187-194 (1996) C78 Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) C80 Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucia					
disrupted in a 18H mice," Nat. Genet. 18(2):143-146 (1998) Pickart, "Mechanisms underlying ubiquitination," Annual Rev. Biochem., 70:503-533 (2001) Rabinowitz et al., "Altered T cell receptor ligands trigger a subset of early T cell signals," Immunity. 5(2):125-135 (1996) Rao et al., "Transcription factors of the NFAT family: regulation and function," Annual Rev. Immunol ,15:707-747 (1997). Rao et al., "The Cbl family of ubiquitin ligases: critical negative regulators of tyrosine kinase signaling in the immune system," J. Leukoc. Biol. 71(5):753-63. (2002) Rathore et al., "In situ analysis of B7-2 costimulatory, major histocompatibility complex class II, and adhesion molecule expression in schistosomal egg granulomas," Am. J. Pathol. 149(1):187-194 (1996) Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) Robert et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Il-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "Il-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-	Initial	ID			
C73 Pickart, "Mechanisms underlying ubiquitination," Annual Rev. Biochem., 70:503-533 (2001) C74 Rabinowitz et al., "Altered T cell receptor ligands trigger a subset of early T cell signals," Immunity. 5(2):125-135 (1996) C75 Rao et al., "Transcription factors of the NFAT family: regulation and function," Annual Rev. Immunol, 15:707-747 (1997). Rao et al., "The Cbl family of ubiquitin ligases: critical negative regulators of tyrosine kinase signaling in the immune system," J. Leukoc. Biol. 71(5):753-63. (2002) Rathore et al., "In situ analysis of B7-2 costimulatory, major histocompatibility complex class II, and adhesion molecule expression in schistosomal egg granulomas," Am. J. Pathol. 149(1):187-194 (1996) C78 Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) C80 Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Ill-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "Ill-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J		C72			
C74 Rabinowitz et al., "Altered T cell receptor ligands trigger a subset of early T cell signals," Immunity. 5(2):125-135 (1996) C75 Rao et al., "Transcription factors of the NFAT family: regulation and function," Annual Rev. Immunol., 15:707-747 (1997). Rao et al., "The Cbl family of ubiquitin ligases: critical negative regulators of tyrosine kinase signaling in the immune system," J. Leukoc. Biol. 71(5):753-63. (2002) Rathore et al., "In situ analysis of B7-2 costimulatory, major histocompatibility complex class II, and adhesion molecule expression in schistosomal egg granulomas," Am. J. Pathol. 149(1):187-194 (1996) Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) C80 Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		0,2			
Rabinowitz et al., "Altered T cell receptor ligands trigger a subset of early T cell signals," Immunity. 5(2):125-135 (1996) C75 Rao et al., "Transcription factors of the NFAT family: regulation and function," Annual Rev. Immunol., 15:707-747 (1997). Rao et al., "The Cbl family of ubiquitin ligases: critical negative regulators of tyrosine kinase signaling in the immune system," J. Leukoc. Biol. 71(5):753-63. (2002) Rathore et al., "In situ analysis of B7-2 costimulatory, major histocompatibility complex class II, and adhesion molecule expression in schistosomal egg granulomas," Am. J. Pathol. 149(1):187-194 (1996) Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "II10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		C73	Pickart, "Mechanisms underlying ubiquitination," Annual Rev. Biochem., 70:503-		
c74 signals," Immunity. 5(2):125-135 (1996) Rao et al., "Transcription factors of the NFAT family: regulation and function," Annual Rev. Immunol.,15:707-747 (1997). Rao et al., "The Cbl family of ubiquitin ligases: critical negative regulators of tyrosine kinase signaling in the immune system," J. Leukoc. Biol. 71(5):753-63. (2002) Rathore et al., "In situ analysis of B7-2 costimulatory, major histocompatibility complex class II, and adhesion molecule expression in schistosomal egg granulomas," Am. J. Pathol. 149(1):187-194 (1996) Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Ilmpairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "Il-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		C/3			
Rao et al., "Transcription factors of the NFAT family: regulation and function," Annual Rev. Immunol, 15:707-747 (1997). Rao et al., "The Cbl family of ubiquitin ligases: critical negative regulators of tyrosine kinase signaling in the immune system," J. Leukoc. Biol. 71(5):753-63. (2002) Rathore et al., "In situ analysis of B7-2 costimulatory, major histocompatibility complex class II, and adhesion molecule expression in schistosomal egg granulomas," Am. J. Pathol. 149(1):187-194 (1996) C78 Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) C80 Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Ilmpairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "Il-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		C74	Rabinowitz et al., "Altered T cell receptor ligands trigger a subset of early T cell		
Annual Rev. Immunol ,15:707-747 (1997). Rao et al., "The Cbl family of ubiquitin ligases: critical negative regulators of tyrosine kinase signaling in the immune system," J. Leukoc. Biol. 71(5):753-63. (2002) Rathore et al., "In situ analysis of B7-2 costimulatory, major histocompatibility complex class II, and adhesion molecule expression in schistosomal egg granulomas," Am. J. Pathol. 149(1):187-194 (1996) Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "III-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		C/4	signals," Immunity. 5(2):125-135 (1996)		
Annual Rev. Immunol ,15:707-747 (1997). Rao et al., "The Cbl family of ubiquitin ligases: critical negative regulators of tyrosine kinase signaling in the immune system," J. Leukoc. Biol. 71(5):753-63. (2002) Rathore et al., "In situ analysis of B7-2 costimulatory, major histocompatibility complex class II, and adhesion molecule expression in schistosomal egg granulomas," Am. J. Pathol. 149(1):187-194 (1996) Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "III-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		075	Rao et al., "Transcription factors of the NFAT family: regulation and function,"		
Rao et al., "The Cbl family of ubiquitin ligases: critical negative regulators of tyrosine kinase signaling in the immune system," J. Leukoc. Biol. 71(5):753-63. (2002) Rathore et al., "In situ analysis of B7-2 costimulatory, major histocompatibility complex class II, and adhesion molecule expression in schistosomal egg granulomas," Am. J. Pathol. 149(1):187-194 (1996) Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "II-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		C/3			
tyrosine kinase signaling in the immune system," J. Leukoc. Biol. 71(5):753-63. (2002) Rathore et al., "In situ analysis of B7-2 costimulatory, major histocompatibility complex class II, and adhesion molecule expression in schistosomal egg granulomas," Am. J. Pathol. 149(1):187-194 (1996) Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calicnerin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-					
Rathore et al., "In situ analysis of B7-2 costimulatory, major histocompatibility complex class II, and adhesion molecule expression in schistosomal egg granulomas," Am. J. Pathol. 149(1):187-194 (1996) Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		C76			
Rathore et al., "In situ analysis of B7-2 costimulatory, major histocompatibility complex class II, and adhesion molecule expression in schistosomal egg granulomas," Am. J. Pathol. 149(1):187-194 (1996) Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-					
complex class II, and adhesion molecule expression in schistosomal egg granulomas," Am. J. Pathol. 149(1):187-194 (1996) Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-					
granulomas," Am. J. Pathol. 149(1):187-194 (1996) Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		C77			
Read and Powrie, "CD4(+) regulatory T cells," Curr. Opin. Immunol. 13(6):644-649 (2001) Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		0,,	· · · · · · · · · · · · · · · · · · ·		
Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-					
Reiser and Stadecker, "Costimulatory B7 molecules in the pathogenesis of infectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-	l	C78			
cso linfectious and autoimmune diseases," New England J. Med., 335(18):1369-77 (1996) Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-					
C80 Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) C84 Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		C70			
Rizo and Sudhof, "C2-domains, structure and function of a universal Ca2+-binding domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		C/9			
domain," J. Biol. Chem., 273(26):15879-15882 (1998) Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-					
Roehrl et al., "Selective inhibition of calcineurin-NFAT signaling by blocking protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		C80	<u> </u>		
C81 protein-protein interaction with small organic molecules," Proc. Natl. Acad. Sci. U S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		<u>-</u>			
S A. 101(20):7554-7559 (2004). Epub 2004 May 6. Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-					
Rotin et al., "Ubiquitination and endocytosis of plasma membrane proteins: role of Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		C81			
Nedd4/Rsp5p family of ubiquitin-protein ligases," J. Membr. Biol., 176(1):1-17 (2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-					
(2000) Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-					
Rutitzky et al., "Th1-polarizing immunization with egg antigens correlates with severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		C82			
C83 severe exacerbation of immunopathology and death in schistosome infection," Proc. Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) C84 Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-					
Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001) Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-					
C84 Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		C83			
humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996) Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-			Natl. Acad. Sci. U S A. 98(23):13243-8. Epub 2001 Oct 23 (2001)		
Sadler et al., "IL-10 is crucial for the transition from acute to chronic disease state during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		C84	Sabin et al., "Impairment of tetanus toxoid-specific Th1-like immune responses in		
C85 during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-			humans infected with Schistosoma mansoni," J. Infect. Dis., 173(1):269-272 (1996)		
888 (2003). Erratum in: Eur. J. Immunol. 2003 Aug;33(8):2348.		C85	during infection of mice with Schistosoma mansoni," Eur. J. Immunol. 33(4):880-		
			888 (2003). Erratum in: Eur. J. Immunol. 2003 Aug;33(8):2348.		

Examiner Signature	Date Considered
Examinor digitation	
EXAMINER: Initials citation considered. Draw line through citation if no	ot in conformance and not considered. Include copy of this form with

Substitute Form PTO-1449 (Modified) U.S. Department of Commerce Patent and Trademark Office		Attorney's Docket No. 10861-033US1	Application No. 10/575,932
Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Anjana Rao et al.	
		Filing Date April 14, 2006	Group Art Unit 1656

	Other D	ocuments (include Author, Title, Date, and Place of Publication)
Examiner Initial	Desig. ID	Document
milical	C86	Schwartz R.H., "Models of T cell anergy: is there a common molecular mechanism?," J. Exp. Med. 184(1):1-8 (1996)
	C87	Schwartz R.H., "A cell culture model for T lymphocyte clonal anergy," Science, 248(4961):1349-1356 (1990)
	C88	Schwartz, "T cell clonal anergy," Curr. Opin. Immunol., 9(3):351-357 (1997)
	C89	Seto et al., "When cell biology meets development: endocytic regulation of signaling pathways," Genes Dev. 16(11):1314-1336 (2002)
	C90	Sloan-Lancaster and Allen, "Altered peptide ligand-induced partial T cell activation: molecular mechanisms and role in T cell biology," Annual Rev. Immunol. 14:1-27 (1996)
	C91	Sorkin et al., "Signal transduction and endocytosis: close encounters of many kinds," Nat. Rev. Mol. Cell Biol. 3(8):600-14 (2002)
	C92	Stadecker and Vellanueva, "Accessory cell signals regulate Th-cell responses: from basic immunology to a model of helminthic disease," Immunol. Today, (12):571-574 (1994)
	C93	Stadecker et al., "Induction of T helper cell unresponsiveness to antigen by macrophages from schistosomal egg granulomas. A basis for immunomodulation in schistosomiasis?," J. Immunol. 145(8):2697-2700 (1990)
	C94	Straight et al., "Dissecting temporal and spatial control of cytokinesis with a myosin II Inhibitor," Science, 299(5613):1743-1747 (2003)
	C95	Sundstedt et al., "In vivo anergized CD4+ T cells express perturbed AP-1 and NF-kappa B transcription factors," Proc. Natl. Acad. Sci. U S A. 93(3):979-84 (1996)
	C96	Swaminathan and Tsygankov, "The Cbl Family Proteins: Ring Leaders in Regulation of Cell Signaling," Journal of Cellular Physiology, 209:21-43 (2006).
	C97	Valitutti et al., "Degradation of T cell receptor (TCR)-CD3-zeta complexes after antigenic stimulation," J. Exp. Med 185(10):1859-64 (1997)
	C98	Villanueva et al., "Macrophages from schistosomal egg granulomas induce unresponsiveness in specific cloned Th-1 lymphocytes in vitro and down-regulate schistosomal granulomatous disease in vivo," J. Immunol. 152(4):1847-1855 (1994)
	C99	Villanueva et al., "Regulation of T helper cell responses in experimental murine schistosomiasis by IL-10. Effect on expression of B7 and B7-2 costimulatory molecules by macrophages," J. Immunol. 153(11):5190-5199 (1994)
	C100	Von Andrian, "T cell activation in six dimensions," Science, 296(5574):1815-1817 (2002)

Examiner Signature	Date Considered
EXAMINER: Initials citation considered. Draw line through citation if no	ot in conformance and not considered. Include copy of this form with
next communication to applicant.	
many animination of all maniminations	

Substitute Form PTO-1449 U.S. Department of Commerce (Modified) Patent and Trademark Office		Attorney's Docket No. 10861-033US1	Application No. 10/575,932	
by Applicant (Use several sheets if necessary)		Applicant Anjana Rao et al.		
		Filing Date April 14, 2006	Group Art Unit 1656	

	Other D	ocuments (include Author, Title, Date, and Place of Publication)
Examiner Initial	Desig. ID	Document
muai	C101	Wilde et al., "Regulation of phospholipase C gamma isoforms in haematopoietic cells: why one, not the other?," Cell Signal 13(10):691-701, (2001)
	C102	Winberg et al., "Latent membrane protein 2A of Epstein-Barr virus binds WW domain E3 protein-ubiquitin ligases that ubiquitinate B-cell tyrosine kinases," Mol. Cell Biol., 20(22):8526-8535 (2000)
	C103	Yokoi et al., "Cblb is a major susceptibility gene for rat type 1 diabetes mellitus," Nat. Genet. 31(4):391-394 (2002). Epub 2002 Jul 15
	C104	Zheng et al., "A sensitive non-radioactive in situ hybridization method for the detection of chicken IgG gamma-chain mRNA: a technique suitable for detecting of variety of mRNAs in tissue sections," Biol. Proced Online. 3:1-7 (2001)
	C105	GenBank accession number NM_00073/2
	C106	GenBank accession number NM_000/33
	C107	GenBank accession number NM_000734
	C108	GenBank accession number NM 001079
	C109	GenBank accession number NM_002660
	C110	GenBank accession number M_002890
	C111	GenBank accession number NM_005188
	C112	GenBank accession number NM_005356
	C113	GenBank accession number NM_006292
	C114	GenBank accession number NM_007648
	C115	GenBank accession number NM_008859
	C116	GenBank accession number NM_009539
	C117	GenBank accession number NM_010890
	C118	GenBank accession number NM_012116
	C119	GenBank accession number NM_013487
	C120	GenBank accession number NM_021884
	C121	GenBank accession number NM_023224
	C122	GenBank accession number NM_023270
	C123	GenBank accession number NM_024 39
	C124	GenBank accession number NM_031162

Examiner Signature	Date Considered		
EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with			

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 10861-033US1	Application No. 10/575,932
Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Anjana Rao et al.	
		Filing Date April 14, 2006	Group Art Unit 1656

Other Documents (include Author, Title, Date, and Place of Publication)		
Examiner Initial	Desig. ID	Document
mila	C125	GenBank accession number NM 031483
	C126	GenBank accession number NM_145452
	C127	GenBank accession number NP_000/23
	C128	GenBank accession number NP_000724
	C129	GenBank accession number NP_000725
	C130	GenBank accession number NP 001070
	C131	GenBank accession number NV_002651
	C132	GenBank accession number NP_002881
	C133	GenBank accession number NP_005179
	C134	GenBank accession number NP_005347
	C135	GenBank accession number NP_006248
	C136	GenBank accession number NP_006283
	C137	GenBank accession number NP_031645
	C138	GenBank accession number NP_031674
	C139	GenBank accession number NP_032885
	C140	GenBank accession number NP_035020
	C141	GenBank accession number NP_033565
	C142	GenBank accession number NP_036248
	C143	GenBank accession number NP_038515
	C144	GenBank accession number NP_068684
	C145	GenBank/accession number NP_075713
	C146	GenBank accession number NP_075759
	C147	GenBank accession number NP_078815
	C148	GenBank accession number NR_112439
	C149	GerBank accession number NP_113671
·	C1:50	GenBank accession number NP_063427
	C151	GenBank accession number Q1319

Examiner Signature	Date Considered		
EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 10861-033US1	Application No. 10/575,932
Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Anjana Rao et al.	
		Filing Date April 14, 2006	Group Art Unit 1656

	Other Documents (include Author, Title, Date, and Place of Publication)		
Examiner Initial	Desig. ID	Document	
	C152	GenBank accession number U26710	
	C153	GenBank accession number XM_046129	
	C154	GenBank accession number XM_130636	
	C155	GenBank accession number XM_156257	
	C156	GenBank accession number XM_192925	
	C157	GenBank accession number XP_046129	
	C158	GenBank accession number XP_130636	
	C159	GenBank accession number XP_156257	
	C160	GenBank accession number XP_192925	

Examiner Signature /David J. Steadman/	Date Considered 12/19/2008		
EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			